

**AN ORDINANCE AMENDING THE CARPENTERSVILLE MUNICIPAL CODE,
CHAPTER 10.32, "SIZE, WEIGHT, LOAD AND PERMITS"**

WHEREAS, the Illinois state legislature has recently amended the provisions of the Illinois Vehicle Code pertaining to the weight and load regulations within the State of Illinois, and

WHEREAS, the President and Board of Trustees of the Village of Carpentersville find it to be in the best interests of the Village to amend the provisions of Chapter 10.32 of the Carpentersville Municipal Code pertaining to vehicle weight regulations within the village.

NOW, THEREFORE, BE IT ORDAINED by the President and Board of Trustees of the Village of Carpentersville, County of Kane, Illinois, as follows:

SECTION 1:

The Carpentersville Municipal Code, Title 10, "Vehicles and Traffic", Chapter 10.32, "Size, Weight, Load and Permits", Section 10.32.060, "Wheel and axle loads and gross weights" is hereby amended in its entirety, and as amended shall read as follows:

10.32.060 Wheel and axle loads and gross weights.

(a) On village highways, no vehicle or combination of vehicles equipped with pneumatic tires may be operated, unladen or with load, when the total weight transmitted to the road surface exceeds 20,000 pounds on a single axle or 34,000 pounds on a tandem axle with no axle within the tandem exceeding 20,000 pounds except:

(1) when a different limit is established and posted;

(2) vehicles for which the Village has issued overweight permits under authority of this Code;

(3) tow trucks subject to the conditions provided in subsection (d) may not exceed 24,000 pounds on a single rear axle or 44,000 pounds on a tandem rear axle;

(4) any single axle of a 2-axle truck weighing 36,000 pounds or less and not a part of a combination of vehicles, shall not exceed 20,000 pounds;

(5) any single axle of a 2-axle truck equipped with a personnel lift or digger derrick, weighing 36,000 pounds or less, owned and operated by a public utility, shall not exceed 20,000 pounds;

(6) any single axle of a 2-axle truck specially equipped with a front loading compactor used exclusively for garbage, refuse, or recycling may not exceed 20,000 pounds per axle, provided that the gross weight of the vehicle does not exceed 40,000 pounds;

(7) a truck, not in combination and specially equipped with a self-compactor or an industrial roll-off hoist and roll-off container,

used exclusively for garbage or refuse operations may, when laden, transmit upon the road surface the following maximum weights: 22,000 pounds on a single axle; 40,000 pounds on a tandem axle;

(8) a truck, not in combination and used exclusively for the collection of rendering materials, may, when laden, transmit upon the road surface the following maximum weights: 22,000 pounds on a single axle; 40,000 pounds on a tandem axle;

(9) tandem axles on a 3-axle truck registered as a Special Hauling Vehicle, manufactured prior to or in the model year of 2014 and first registered in Illinois prior to January 1, 2015, with a distance greater than 72 inches but not more than 96 inches between any series of 2 axles, is allowed a combined weight on the series not to exceed 36,000 pounds and neither axle of the series may exceed 20,000 pounds. Any vehicle of this type manufactured after the model year of 2014 or first registered in Illinois after December 31, 2014 may not exceed a combined weight of 34,000 pounds through the series of 2 axles and neither axle of the series may exceed 20,000 pounds;

(10) a 4-axle truck mixer registered as a Special Hauling Vehicle, used exclusively for the mixing and transportation of concrete in the plastic state and manufactured prior to or in the model year of 2014 and first registered in Illinois prior to January 1, 2015, is allowed the following maximum weights: 20,000 pounds on any single axle; 36,000 pounds on any series of 2 axles greater than 72 inches but not more than 96 inches; and 34,000 pounds on any series of 2 axles greater than 40 inches but not more than 72 inches;

(11) 4-axle vehicles or a 5 or more axle combination of vehicles: The weight transmitted upon the road surface through any series of 3 axles whose centers are more than 96 inches apart, measured between extreme axles in the series, may not exceed those allowed in the table contained in subsection (f) of this Section. No axle or tandem axle of the series may exceed the maximum weight permitted under this Section for a single or tandem axle.

No vehicle or combination of vehicles equipped with other than pneumatic tires may be operated, unladen or with load, upon the highways of this Village when the gross weight on the road surface through any wheel exceeds 800 pounds per inch width of tire tread or when the gross weight on the road surface through any axle exceeds 16,000 pounds.

(b) On village highways, the gross weight of vehicles and combination of vehicles including the weight of the vehicle or combination and its maximum load shall be subject to the federal bridge formula provided in subsection (f) of this Section.

VEHICLES OPERATING ON CRAWLER TYPE TRACKS 40,000 pounds

TRUCKS EQUIPPED WITH SELF-COMPACTORS
OR ROLL-OFF HOISTS AND ROLL-OFF CONTAINERS FOR GARBAGE,
REFUSE, OR RECYCLING HAULS ONLY AND TRUCKS USED FOR
THE COLLECTION OF RENDERING MATERIALS

with 2 axles	36,000 pounds
with 3 axles	54,000 pounds

TWO AXLE TRUCKS EQUIPPED WITH
A FRONT LOADING COMPACTOR USED EXCLUSIVELY
FOR THE COLLECTION OF GARBAGE, REFUSE, OR RECYCLING
with 2 axles 40,000 pounds

A 4-axle truck mixer registered as a Special Hauling Vehicle, used exclusively for mixing and transportation of concrete in the plastic state, manufactured before or in the model year of 2014, and first registered in Illinois before January 1, 2015, is allowed a maximum gross weight listed in the table of subsection (f) of this Section for 4 axles. This vehicle, while loaded with concrete in the plastic state, is not subject to the series of 3 axles requirement provided for in subdivision (a)(11) of this Section, but no axle or tandem axle of the series may exceed the maximum weight permitted under subdivision (a)(10) of this Section.

(b-1) As used in this Section, a "recycling haul" or "recycling operation" means the hauling of segregated, non-hazardous, non-special, homogeneous non-putrescible materials, such as paper, glass, cans, or plastic, for subsequent use in the secondary materials market.

(c) Left intentionally blank.

(d) Weight limitations shall not apply to vehicles (including loads) operated by a public utility when transporting equipment required for emergency repair of public utility facilities or properties or water wells.

A combination of vehicles, including a tow truck and a disabled vehicle or disabled combination of vehicles, that exceeds the weight restriction imposed by this Code, may be operated on a village highway provided that neither the disabled vehicle nor any vehicle being towed nor the tow truck itself shall exceed the weight limitations permitted under this Chapter. During the towing operation, neither the tow truck nor the vehicle combination shall exceed 24,000 pounds on a single rear axle and 44,000 pounds on a tandem rear axle, provided the towing vehicle:

(1) is specifically designed as a tow truck having a gross vehicle weight rating of at least 18,000 pounds and is equipped with air brakes, provided that air brakes are required only if the towing vehicle is towing a vehicle, semitrailer, or tractor-trailer combination that is equipped with air brakes;

(2) is equipped with flashing, rotating, or oscillating amber lights, visible for at least 500 feet in all directions;

(3) is capable of utilizing the lighting and braking systems of the disabled vehicle or combination of vehicles; and

(4) does not engage in a tow exceeding 20 miles from the initial point of wreck or disablement. Any additional movement of the vehicles may occur only upon issuance of authorization for that movement under the provisions of this Code. The towing vehicle, however, may tow any disabled vehicle from the initial point of wreck or disablement to a point where repairs are actually to occur. This movement shall be valid only on village routes. The tower must abide by posted bridge weight limits.

Gross weight limits shall not apply to the combination of the tow truck and vehicles being towed. The tow truck license plate must cover the operating empty weight of the tow truck only. The weight of each vehicle being towed shall be covered by a valid license plate issued to the owner or operator of the vehicle being towed and displayed on that vehicle. If no valid plate issued to the owner or operator of that vehicle is

displayed on that vehicle, or the plate displayed on that vehicle does not cover the weight of the vehicle, the weight of the vehicle shall be covered by the third tow truck plate issued to the owner or operator of the tow truck and temporarily affixed to the vehicle being towed. If a roll-back carrier is registered and being used as a tow truck, however, the license plate or plates for the tow truck must cover the gross vehicle weight, including any load carried on the bed of the roll-back carrier.

Nothing in this Code shall prohibit a tow truck under instructions of a police officer from legally clearing a disabled vehicle, that may be in violation of weight limitations of this Chapter, from the roadway to the berm or shoulder of the highway. If in the opinion of the police officer that location is unsafe, the officer is authorized to have the disabled vehicle towed to the nearest place of safety.

For the purpose of this subsection, gross vehicle weight rating, or GVWR, shall mean the value specified by the manufacturer as the loaded weight of the tow truck.

(e) No vehicle or combination of vehicles equipped with pneumatic tires shall be operated, unladen or with load, upon the highways of this village in violation of the provisions of any permit issued under the provisions of Section 10.32.110 of this Chapter.

(f) No vehicle or combination of vehicles with pneumatic tires may be operated, unladen or with load, when the total weight on the road surface exceeds the following: 20,000 pounds on a single axle; 34,000 pounds on a tandem axle with no axle within the tandem exceeding 20,000 pounds; 80,000 pounds gross weight for vehicle combinations of 5 or more axles; or a total weight on a group of 2 or more consecutive axles in excess of that weight produced by the application of the following formula: $W = 500 \text{ times the sum of } (LN \text{ divided by } N-1) + 12N + 36$, where "W" equals overall total weight on any group of 2 or more consecutive axles to the nearest 500 pounds, "L" equals the distance measured to the nearest foot between extremes of any group of 2 or more consecutive axles, and "N" equals the number of axles in the group under consideration.

The above formula when expressed in tabular form results in allowable loads as follows:

Distance measured to the nearest foot between the extremes of any group of 2 or more consecutive axles		Maximum weight in pounds of any group of 2 or more consecutive axles				
feet	2 axles	3 axles	4 axles	5 axles	6 axles	
4	34,000					
5	34,000					
6	34,000					
7	34,000					
8	38,000*	42,000				
9	39,000	42,500				
10	40,000	43,500				
11		44,000				
12		45,000	50,000			

13	45,500	50,500		
14	46,500	51,500		
15	47,000	52,000		
16	48,000	52,500	58,000	
17	48,500	53,500	58,500	
18	49,500	54,000	59,000	
19	50,000	54,500	60,000	
20	51,000	55,500	60,500	66,000
21	51,500	56,000	61,000	66,500
22	52,500	56,500	61,500	67,000
23	53,000	57,500	62,500	68,000
24	54,000	58,000	63,000	68,500
25	54,500	58,500	63,500	69,000
26	55,500	59,500	64,000	69,500
27	56,000	60,000	65,000	70,000
28	57,000	60,500	65,500	71,000
29	57,500	61,500	66,000	71,500
30	58,500	62,000	66,500	72,000
31	59,000	62,500	67,500	72,500
32	60,000	63,500	68,000	73,000
33		64,000	68,500	74,000
34		64,500	69,000	74,500
35		65,500	70,000	75,000
36		66,000	70,500	75,500
37		66,500	71,000	76,000
38		67,500	72,000	77,000
39		68,000	72,500	77,500
40		68,500	73,000	78,000
41		69,500	73,500	78,500
42		70,000	74,000	79,000
43		70,500	75,000	80,000
44		71,500	75,500	
45		72,000	76,000	
46		72,500	76,500	
47		73,500	77,500	
48		74,000	78,000	
49		74,500	78,500	
50		75,500	79,000	
51		76,000	80,000	
52		76,500		
53		77,500		
54		78,000		
55		78,500		
56		79,500		
57		80,000		

*If the distance between 2 axles is 96 inches or less, the 2 axles are tandem axles and the maximum total weight may not exceed 34,000 pounds, notwithstanding the higher limit resulting from the application of the formula.

Vehicles not in a combination having more than 4 axles may not exceed the weight in the table in this subsection (f) for 4 axles measured between the extreme axles of the vehicle.

Vehicles in a combination having more than 6 axles may not exceed the weight in the table in this subsection (f) for 6 axles measured between the extreme axles of the combination.

The following are exceptions to the above formula:

(1) Two consecutive sets of tandem axles may carry a total weight of 34,000 pounds each if the overall distance between the first and last axles of the consecutive sets of tandem axles is 36 feet or more.

(2) Vehicles for which a different limit is established and posted in accordance with this Chapter.

(3) Vehicles for which the Village has issued overweight permits under authority of this Chapter. These vehicles are not subject to the bridge formula.

(4) Tow trucks subject to the conditions provided in subsection (d) may not exceed 24,000 pounds on a single rear axle or 44,000 pounds on a tandem rear axle.

(5) A tandem axle on a 3-axle truck registered as a Special Hauling Vehicle, manufactured prior to or in the model year of 2014, and registered in Illinois prior to January 1, 2015, with a distance between 2 axles in a series greater than 72 inches but not more than 96 inches may not exceed a total weight of 36,000 pounds and neither axle of the series may exceed 20,000 pounds.

(6) A truck not in combination, equipped with a self compactor or an industrial roll-off hoist and roll-off container, used exclusively for garbage, refuse, or recycling operations, may, when laden, transmit upon the road surface, the following maximum weights: 22,000 pounds on a single axle; 40,000 pounds on a tandem axle; 36,000 pounds gross weight on a 2-axle vehicle; 54,000 pounds gross weight on a 3-axle vehicle. This vehicle is not subject to the bridge formula.

(7) Combinations of vehicles, registered as Special Hauling Vehicles that include a semitrailer manufactured prior to or in the model year of 2014, and registered in Illinois prior to January 1, 2015, having 5 axles with a distance of 42 feet or less between extreme axles, may not exceed the following maximum weights: 20,000 pounds on a single axle; 34,000 pounds on a tandem axle; and 72,000 pounds gross weight. This combination of vehicles is not subject to the bridge formula. For all those combinations of vehicles that include a semitrailer manufactured after the effective date of this Ordinance, the overall distance between the first and last axles of the 2 sets of tandems must be 18 feet 6 inches or more. Any combination of vehicles that has had its cargo container replaced in its entirety after December 31, 2014 may not exceed the weights allowed by the bridge formula.

(8) A 4-axle truck mixer registered as a Special Hauling Vehicle, used exclusively for the mixing and transportation of concrete in the plastic state, manufactured before or in the model year of 2014, first registered in Illinois before January 1, 2015, is allowed the following maximum weights: 20,000 pounds on any single axle; 36,000 pounds on a series of axles greater than 72 inches but not more than 96 inches; and 34,000 pounds on any series of 2 axles

greater than 40 inches but not more than 72 inches. The gross weight of this vehicle may not exceed the weights allowed by the bridge formula for 4 axles. The bridge formula does not apply to any series of 3 axles while the vehicle is transporting concrete in the plastic state, but no axle or tandem axle of the series may exceed the maximum weight permitted under this subsection (f).

No vehicle or combination of vehicles equipped with other than pneumatic tires may be operated, unladen or with load, upon the highways of this village when the gross weight on the road surface through any wheel exceeds 800 pounds per inch width of tire tread or when the gross weight on the road surface through any axle exceeds 16,000 pounds.

(g) No person shall operate a vehicle or combination of vehicles over a bridge or other elevated structure constituting part of a highway with a gross weight that is greater than the maximum weight permitted by the village, when the structure is sign posted setting forth the maximum allowable gross weight.

(h) Left intentionally blank

(i) Upon the trial of any person charged with a violation of subsection (g) of this Section, proof of the determination of the maximum allowable weight by the village and the existence of the signs, constitutes conclusive evidence of the maximum weight that can be maintained with safety to the bridge or structure.

SECTION 2:

The Carpentersville Municipal Code, Title 10, "Vehicles and Traffic", Chapter 10.32, "Size, Weight, Load and Permits", Section 10.32.080, "Officers to weigh vehicles and require removal of excess loads", is hereby amended in its entirety, and as amended shall read as follows:

10.32.080 Officers to weigh vehicles and require removal of excess loads.

(a) Any police officer having reason to believe that the weight of a vehicle and load is unlawful shall require the driver to stop and submit to a weighing of the same either by means of a portable or stationary scales that have been tested and approved at a frequency prescribed by the Illinois Department of Agriculture. If such scales are not available at the place where such vehicle is stopped, the police officer shall require that such vehicle be driven to the nearest available scale that has been tested and approved pursuant to this Section by the Illinois Department of Agriculture.

(b) Whenever an officer, upon weighing a vehicle and the load, determines that the weight is unlawful, such officer shall require the driver to stop the vehicle in a suitable place and remain standing until such portion of the load is removed as may be necessary to reduce the weight of the vehicle to the limit permitted under this Chapter and shall forthwith arrest the driver or owner. All material so unloaded shall be cared for by the owner or operator of the vehicle at the risk of such owner or operator; however, whenever a 3 or 4 axle vehicle with a tandem axle dimension greater than 72 inches, but less than 96 inches and registered as a Special Hauling Vehicle is transporting asphalt or concrete in the plastic state that exceeds axle weight or gross weight limits by less than 4,000 pounds, the owner or operator of the vehicle shall accept the arrest ticket or tickets for the alleged violations under this Section and proceed without shifting or reducing the load being transported or may shift or reduce the load under the provisions of subsection (c) or (d) of this Section, when applicable.

(c) Whenever any axle load of a vehicle exceeds the axle or tandem axle weight limits permitted by section 10.32.060 paragraphs (a) or (f) by 2000 pounds or less, the owner or operator of the vehicle must shift or remove the excess so as to comply with paragraph (a) or (f) of Section 10.32.060. No overweight arrest ticket shall be issued to the owner or operator of the vehicle by any officer if the excess weight is shifted or removed as required by this paragraph.

(e) Whenever the gross weight of a vehicle with a registered gross weight of 80,000 pounds or less exceeds the weight limits of paragraph (b) or (f) of Section 10.32.060 of this Chapter by 2000 pounds or less, the owner or operator of the vehicle must remove the excess. Whenever the gross weight of a vehicle with a registered gross weight of 80,000 pounds or more exceeds the weight limits of paragraph (b) or (f) of Section 10.32.060 by 1,000 pounds or less or 2,000 pounds or less if weighed on wheel load weighers, the owner or operator of the vehicle must remove the excess. In either case no arrest ticket for any overweight violation of this Code shall be issued to the owner or operator of the vehicle by any officer if the excess weight is removed as required by this paragraph. A person who has been granted a special permit under Section 10.32.110 of this Code shall not be granted a tolerance on wheel load weighers.

(f) Whenever an axle load of a vehicle exceeds axle weight limits allowed by the provisions of a permit an arrest ticket shall be issued, but the owner or operator of the vehicle may shift the load so as to comply with the provisions of the permit. Where such shifting of a load to comply with the permit is accomplished, the owner or operator of the vehicle may then proceed.

(g) Any driver of a vehicle who refuses to stop and submit his vehicle and load to weighing after being directed to do so by an officer or removes or causes the removal of the load or part of it prior to weighing is guilty of a business offense and shall be fined not less than \$500 nor more than \$2,000.

SECTION 3:

The Carpentersville Municipal Code, Title 10, "Vehicles and Traffic", Chapter 10.32, "Size, Weight, Load and Permits", Section 10.32.090, "Violations; Penalties" is hereby amended in its entirety, and as amended shall read as follows:

10.32.090 Violations; Penalties.

(a) Whenever any vehicle is operated in violation of the provisions of Section 10.32.060, the owner or driver of such vehicle shall be deemed guilty of such violation and either the owner or the driver of such vehicle may be prosecuted for such violation. Any person charged with a violation of any of these provisions who pleads not guilty shall be present in court for the trial on the charge. Any person, firm or corporation convicted of any violation of Section 10.32.060 including, but not limited to, a maximum axle or gross limit specified on a regulatory sign posted in accordance with paragraph (g) of Section 10.32.060, shall be fined according to the following schedule:

Up to and including 2000 pounds overweight = \$100

From 2001 through 2500 pounds overweight = the fine is \$270

From 2501 through 3000 pounds overweight = the fine is \$330

From 3001 through 3500 pounds overweight = the fine is \$520

From 3501 through 4000 pounds overweight = the fine is \$600

From 4001 through 4500 pounds overweight = the fine is \$850

From 4501 through 5000 pounds overweight = the fine is \$950

From 5001 or more pounds overweight = the fine shall be computed by assessing \$1500 for the first 5000 pounds overweight and \$150 for each additional increment of 500 pounds overweight or fraction thereof.

In addition any person, firm or corporation convicted of 4 or more violations of Section 10.32.060 within any 12 month period shall be fined an additional amount of \$5,000 for the fourth and each subsequent conviction within the 12 month period. Provided, however, that with regard to a firm or corporation, a fourth or subsequent conviction shall mean a fourth or subsequent conviction attributable to any one employee-driver.

SECTION 4:

The Carpentersville Municipal Code, Title 10, "Vehicles and Traffic", Chapter 10.32, "Size, Weight, Load and Permits", is hereby amended by adding a new Section 10.32.095, "Violations – Penalties for permit moves", which reads as follows:

10.32.095 Violations-Penalties for permit moves.

Whenever any vehicle is operated in violation of the provisions of a permit issued under the provisions of Sections 10.32.110 of this Chapter by operating under a fraudulent permit or under a permit not specifically covering the move, the owner or driver of such vehicle shall be deemed guilty of a business offense and either the owner or the driver of such vehicle may be prosecuted for such violation. When any person, firm or corporation is convicted of such violation, the permit shall be null and void and such person, firm or corporation shall be fined in an amount not less than 10 cents per pound for each pound the gross weight of the vehicle exceeds the gross weight of such vehicles allowable under Section 10.32.060 of this Chapter.

SECTION 5:

The Carpentersville Municipal Code, Title 10, "Vehicles and Traffic", Chapter 10.32, "Size, Weight, Load and Permits", is hereby amended by adding a new Section 10.32.096, "Violations – Penalties for permit moves exceeding axle weights", which reads as follows

10.32.096 Violations - Penalties for permit moves exceeding axle weights. Whenever any vehicle is operated in violation of the provisions of a permit issued under the provisions of Section 10.32.110 of this Chapter by operating with axle weights in excess of those authorized in such permit, the owner or driver of such

vehicle shall be deemed guilty of a business offense and either the owner or the driver of such vehicle may be prosecuted for such violation. Any person, firm or corporation convicted of such violation shall be fined in an amount not less than 2 cents nor more than 5 cents per pound for each pound of excess weight on such axle or tandem axle in excess of the weight authorized in the permit when the excess is 1,000 pounds or less; not less than 5 cents nor more than 10 cents per pound for each pound of excess weight when the excess exceeds 1,000 pounds and is 2,000 pounds or less; not less than 10 cents nor more than 15 cents per pound for each pound of excess weight when the excess exceeds 2,000 pounds and is 3,000 pounds or less; and not less than 15 cents nor more than 20 cents per pound for each pound of excess weight when the excess exceeds 3,000 pounds.

SECTION 6:

The Carpentersville Municipal Code, Title 10, "Vehicles and Traffic", Chapter 10.32, "Size, Weight, Load and Permits", is hereby amended by adding a new Section 10.32.097, "Violations – Penalties for permit moves exceeding gross weight", which reads as follows

10.32.097 Violations-Penalties for permit moves exceeding gross weight.

Whenever any vehicle is operated in violation of the provisions of a permit issued under the provisions of Section 10.32.110 of this Chapter by operating with the gross weight in excess of that authorized in such permit, the owner or driver of such vehicle shall be deemed guilty of a business offense and either the owner or the driver of such vehicle may be prosecuted for such violation. Any person, firm or corporation convicted of such violation shall be fined in an amount not less than 2 cents nor more than 5 cents per pound for each pound of excess weight in excess of the gross weight authorized in the permit when the excess is 1,000 pounds or less; not less than 4 cents nor more than 7 cents per pound for each pound of excess weight when the excess exceeds 1,000 pounds and is 2,000 pounds or less; not less than 7 cents nor more than 10 cents per pound for each pound of excess weight when the excess exceeds 2,000 pounds and is 3,000 pounds or less; not less than 10 cents nor more than 15 cents per pound for each pound of excess weight when the excess exceeds 3,000 pounds and is 4,000 pounds or less; not less than 15 cents nor more than 20 cents per pound for each pound of excess weight when the excess exceeds 4,000 pounds and is 5,000 pounds or less; and not less than 17 cents nor more than 25 cents per pound for each pound of excess weight when the excess exceeds 5,000 pounds.

SECTION 7:

Those sections, paragraphs, and provisions of Chapter 10.32, of the Village of Carpentersville Municipal Code which are not expressly amended or repealed by this Ordinance are hereby re-enacted, and it is expressly declared to be the intention of this Ordinance not to repeal or amend any portions of the Village of Carpentersville Municipal Code other than those expressly amended or repealed in Section 1, Section 2, Section 3, Section 4, Section 5, and Section 6 of this Ordinance.

SECTION 8:

The invalidity of any section or provision of this Ordinance hereby passed and approved shall not invalidate other sections or provisions thereof.

SECTION 9:

The provisions of this Ordinance shall be in full force and effect upon its passage, approval and publication, in accordance with law.

Motion made by Trustee _____, seconded by Trustee _____, that the Ordinance be passed.

ADOPTED BY THE PRESIDENT AND BOARD OF TRUSTEES of the Village of Carpentersville, Illinois, at a regular meeting thereof held on the 6th day of October, 2009, pursuant to a roll call vote as follows:

AYES: _____

NAYS: _____

ABSENT: _____

APPROVED by me this ____ day of _____, 2009.

Village President

(SEAL)

ATTEST:

Village Clerk